GERMANY

Printing date 12.07.2019

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 1907

Revision: 12.07.2019

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: MANNOL 9874 Glass Foam 450ml
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: SCT-Vertriebs GmbH Feldstrasse 154 22880 WEDEL DEUTSCHLAND info@sct-germany.de

· Further information obtainable from: Product safety department.

• 1.4 Emergency telephone number: Giftinformationszentrum-Nord +49-551-19240

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Aerosol 2 H223-H229 Flammable aerosol. Pressurised container: May burst if heated.



Causes serious eye irritation.

#### · 2.2 Label elements

## · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



## · Signal word Warning

· Hazard statements

H223-H229 Flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

## · Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
D211	Do not aprovian an anon flame or other ignition course

- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P264 Wash thoroughly after handling.

(Contd. on page 2)

Version number 1907

Revision: 12.07.2019

## Trade name: MANNOL 9874 Glass Foam 450ml

(Contd. of page 1)

P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P337+P313

If eye irritation persists: Get medical advice/attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compor	nents:			
CAS: 106-97-8	butane	Itane		
EINECS: 203-448-7	Flam. Gas 1, H220; Press. Gas C, H280			
CAS: 64-17-5	ethanol		1–10%	
EINECS: 200-578-6	Flam. Liq. 2, H225			
CAS: 74-98-6	propane		1–5%	
EINECS: 200-827-9	Flam. Gas 1, H220; Press. Gas C, H280			
	Polyalkyleneoxide Modified Heptamethyltrisiloxan			
	Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acu	te Tox. 4, H332		
CAS: 9003-04-7	2-propenoic acid, homopolymer, sodium salt		0.5–1.5%	
	Eye Irrit. 2, H319			
CAS: 7632-00-0	sodium nitrite		0.5–1.5%	
EINECS: 231-555-9	Ox. Sol. 3, H272; Acute Tox. 3, H301; Aquatic Ac	ute 1, H400		
CAS: 532-32-1	sodium benzoate		0.5–1.5%	
EINECS: 208-534-8	Eye Irrit. 2, H319			
· Not dangerous sub	stances			
CAS: 4432-31-9	2-morpholinoethanesulphonic acid		0–0.3%	
EINECS: 224-632-3				
	-1 Lemon Alcoholic Extract	Flam. Liq. 1, H224	0–0.1%	
CAS: 102-71-6	Triethanolamine		0–0.1%	
EINECS: 203-049-8				
CAS: 7732-18-5	water, distilled, conductivity or of similar purity		55–65%	
EINECS: 231-791-2				
<ul> <li>Additional informat</li> </ul>	ion: For the wording of the listed hazard phrases I	refer to section 16.		

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)



Printing date 12.07.2019

Version number 1907

Revision: 12.07.2019

## Trade name: MANNOL 9874 Glass Foam 450ml

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **SECTION 5: Firefighting measures**

- <sup>·</sup> 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2. Do not use water.
- Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6: Accidental release measures**

• **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Particular danger of slipping on leaked/spilled product.

Wear protective clothing.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)



Printing date 12.07.2019

GERMANY

Printing date 12.07.2019

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 1907

Revision: 12.07.2019

## Trade name: MANNOL 9874 Glass Foam 450ml

(Contd. of page 3)

## **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

## · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 106-97-8 butane (13.0%)

WEL Short-term value: 1810 mg/m<sup>3</sup>, 750 ppm Long-term value: 1450 mg/m<sup>3</sup>, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

64-17-5 ethanol (10.0%)

WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

• Additional information: The lists valid during the making were used as basis.

## · 8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Respiratory protection: Not required.

## Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## • Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31 Printing date 12.07.2019

Version number 1907

Revision: 12.07.2019

## Trade name: MANNOL 9874 Glass Foam 450ml

(Contd. of page 4)

	cal properties
9.1 Information on basic physical and o General Information	chemical properties
Appearance:	
Form:	Liquid
Colour:	Clear
Odour:	Lemon
Odour threshold:	Not determined.
pH-value at 20 °C:	8.34
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: 100 °C
Flash point:	Not applicable, as aerosol.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	0.96 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	2–18.1 %
Water:	55-65 %
VOC (EC)	2–18.1 %

## **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

(Contd. on page 6)

- GB ·

Version number 1907

Revision: 12.07.2019

(Contd. of page 5)

## Trade name: MANNOL 9874 Glass Foam 450ml

· 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.

- Carbon monoxide Aldehyde Poisonous gases/vapours Carbon dioxide

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

## · LD/LC50 values relevant for classification:

#### ATE (Acute Toxicity Estimates)

LD50 5,667-17,000 mg/kg (rat) Oral

Inhalative LC50/4 h 550-1,100 mg/l

## 106-97-8 butane

Inhalative LC50/4 h 658 mg/l (rat)

## 7632-00-0 sodium nitrite

Oral LD50 85 mg/kg (rat)

532-32-1 sodium benzoate

LD50 4,070 mg/kg (rat) Oral

· Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eve irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

GB

· 10.4 Conditions to avoid No further relevant information available.

• **10.5 Incompatible materials:** No further relevant information available.

# · 10.6 Hazardous decomposition products:

Printing date 12.07.2019



Version number 1907

Revision: 12.07.2019

## Trade name: MANNOL 9874 Glass Foam 450ml

(Contd. of page 6)

### · Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

HP3 Flammable

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1950
	0111900
14.2 UN proper shipping name	
ADR	1950 AEROSOLS
	AEROSOLS
ΙΑΤΑ	AEROSOLS, flammable
14.3 Transport hazard class(es	)
ADR	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1



Printing date 12.07.2019

accore



Printing date 12.07.2019

Version number 1907

Revision: 12.07.2019

## Trade name: MANNOL 9874 Glass Foam 450ml

	(Contd. of page
14.4 Packing group ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	-
EMS Number:	F-D,S-U
Segregation groups	Nitrites and their mixtures
Stowage Code	SW1 Protected from sources of heat.
	SW2 Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity on 1 litre:
	Segregation as for class 9. Stow "separated from class 1 except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision or class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision or class 2.
14.7 Transport in bulk according to Ann	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
$l$ imited quantities $(I \cap I)$	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
Excepted quantities (EQ) Transport category	Code: E0 Not permitted as Excepted Quantity 2
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
Excepted quantities (EQ) Transport category	Code: E0 Not permitted as Excepted Quantity 2
Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ)	Code: E0 Not permitted as Excepted Quantity 2 D
Excepted quantities (EQ) Transport category Tunnel restriction code IMDG	Code: E0 Not permitted as Excepted Quantity 2 D 1L Code: E0
Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ)	Code: E0 Not permitted as Excepted Quantity 2 D

## **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• Seveso category P3a FLAMMABLE AEROSOLS

 $^{\circ}$  Qualifying quantity (tonnes) for the application of lower-tier requirements 150~t

 $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements  $500\ t$ 

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 9)

GB ·

Printing date 12.07.2019

#### Version number 1907

Revision: 12.07.2019

### Trade name: MANNOL 9874 Glass Foam 450ml

(Contd. of page 8) • **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H220 Extremely flammable gas. H224 Extremely flammable liquid and vapour. H225 Highly flammable liquid and vapour. H272 May intensify fire; oxidiser. H280 Contains gas under pressure: may explode if bea

- H280 Contains gas under pressure; may explode if heated.
- H301 Toxic if swallowed.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- · Department issuing SDS: Product safety department.

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases - Category 1 Aerosol 2: Aerosols - Category 2 Press. Gas C: Gases under pressure - Compressed gas Flam. Liq. 2: Flammable liquids - Category 2 Ox. Sol. 3: Oxidizing solids - Category 3 Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 \*\* Data compared to the previous version altered.