

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1910

Revision: 02.10.2019

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: MANNOL 9915 RTV Adhesive Sealant Blue 85g
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Adhesives Sealant
- **1.3 Details of the supplier of the safety data sheet** • **Manufacturer/Supplier:** SCT-Vertriebs GmbH Feldstrasse 154 22880 WEDEL

DEUTSCHLAND info@sct-germany.de

• Further information obtainable from: Product safety department.

1.4 Emergency telephone number: Giftinformationszentrum-Nord +49-551-19240

# **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

#### · 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

• Hazard-determining components of labelling: POLY(DIMETHYLSILOXANE) hydroxy terminated calcium carbonate

· Hazard statements

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.

(Contd. on page 2)

<sup>-</sup> GB



Printing date 02.10.2019

Version number 1910

Revision: 02.10.2019

#### Trade name: MANNOL 9915 RTV Adhesive Sealant Blue 85g

	(Contd. of page 1)
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / eye protection / face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Labelling of packages where the contents do not exceed 125 ml

#### Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labelling: POLY(DIMETHYLSILOXANE) hydroxy terminated calcium carbonate

#### · Hazard statements

- H335 May cause respiratory irritation.
- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 02.10.2019

Version number 1910

Revision: 02.10.2019

## Trade name: MANNOL 9915 RTV Adhesive Sealant Blue 85g

	(Cont	d. of page 2
· Dangerous componer	nts:	
CAS: 70131-67-8	POLY(DIMETHYLSILOXANE) hydroxy terminated	30-36%
EC number: 615-070-3	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	-
CAS: 471-34-1	calcium carbonate	25-32%
EINECS: 207-439-9	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	-
CAS: 63148-62-9	Dimethyl siloxane	10–18%
EC number: 613-156-5	Eye Irrit. 2, H319	-
CAS: 1067-53-4	tris(2-methoxyethoxy)vinylsilane	1-<3%
EINECS: 213-934-0	Repr. 2, H361f; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Eye Irrit. 2, H319	-
CAS: 2031-67-6	triethoxy(methyl)silane	1–3%
EINECS: 217-983-9	Flam. Liq. 3, H226	-
· Not dangerous substa	ances	
CAS: 68611-44-9 Si EINECS: 271-893-4	lane, dichlorodimethyl-, reaction products with silica	4–8%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1910

Revision: 02.10.2019

#### Trade name: MANNOL 9915 RTV Adhesive Sealant Blue 85g

(Contd. of page 3)

## **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. • **Information about fire - and explosion protection:** No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Respiratory protection:
  In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1910

Revision: 02.10.2019

# Trade name: MANNOL 9915 RTV Adhesive Sealant Blue 85g

(Contd. of page 4)

## · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Tightly sealed goggles

9.1 Information on basic physical a	nd chemical properties
General Information	
Appearance:	
Form:	Pasty
Colour:	Blue
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition Melting point/freezing point:	Undetermined.
Initial boiling point and boiling ra	nge: 101 °C
Flash point:	115 °C
Flammability (solid, gas):	Not determined.
Ignition temperature:	210 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.

GB ·



Printing date 02.10.2019

Version number 1910

Revision: 02.10.2019

#### Trade name: MANNOL 9915 RTV Adhesive Sealant Blue 85g

	(Contd. of page 5)
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Solids content:	35–45 %
<sup>•</sup> 9.2 Other information	No further relevant information available.

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- <sup>·</sup> 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide
- Aldehyde
- Poisonous gases/vapours Carbon dioxide

# **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

#### ATE (Acute Toxicity Estimates)

Oral LD50 >16,667–50,000 mg/kg

Dermal LD50 >36,667-110,000 mg/kg

## 471-34-1 calcium carbonate

Oral LD50 6,450 mg/kg (rat)

# 2031-67-6 triethoxy(methyl)silane

Oral LD50 15,700 mg/kg (rat)

(Contd. on page 7)

GB

Version number 1910

Revision: 02.10.2019

#### Trade name: MANNOL 9915 RTV Adhesive Sealant Blue 85g

(Contd. of page 6)

- · Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- · Serious eve damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small guantities. Danger to drinking water if even extremely small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

HP4 Irritant - skin irritation and eye damage

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

#### · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)



Printing date 02.10.2019





Printing date 02.10.2019

Version number 1910

Revision: 02.10.2019

#### Trade name: MANNOL 9915 RTV Adhesive Sealant Blue 85g

(Contd. of page 7)

14.1 UN-Number		
ADR, IMDG, IATA	not regulated	
14.2 UN proper shipping name		
ADR, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group		
ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	iex II of	
Marpol and the IBC Code	Not applicable.	

## **SECTION 15: Regulatory information**

- <sup>1</sup> 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

H361f Suspected of damaging fertility.

- · Department issuing SDS: Product safety department.
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 9)



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1910

Revision: 02.10.2019

#### Trade name: MANNOL 9915 RTV Adhesive Sealant Blue 85g

(Contd. of page 8) EINECS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 · \* Data compared to the previous version altered.